

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

## CAVALIER.

Revision 0
Revision date 2015-04-20

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1. Product identifier			
Product name	CAVALIER.		
1.2. Relevant identified uses of	the substance or mixture and uses advised against		
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC35] Washing and cleaning products (including solvent based products);		
Description	Traffic film remover.		
1.3. Details of the supplier of the	e safety data sheet		
Company	Spectrum Industrial Limited		
Address	19/24 Bedesway Bede Industrial Estate Jarrow Tyne & Wear NE32 3EG		
Web	www.spectrumindustrial.co.uk		
Telephone	0191 4301111		
Fax	0191 4837422		
Email	sales@spectrum-ind.co.uk		
Email address of the competent person	sales@spectrum-ind.co.uk		
1.4. Emergency telephone number			

Emergency telephone number	0191 4301111
	9.00 am - 5.00 pm Mon - Fri

## SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.1. Classification -	Xi; R36/38
67/548/EEC	Symbols: Xi: Irritant.
Main hazards	Irritating to eyes and skin.
2.1.2. Classification - EC	Skin Irrit. 2: H315; Eye Irrit. 2: H319;
1272/2008	

2.2. Label elements		
Hazard pictograms	<u>!</u>	
Signal Word	Warning	

Hazard Statement

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Revision 0 Revision date 2015-04-20

#### 2.2. Label elements

Precautionary Statement:	P102 - Keep out of reach of children.		
Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.		
Precautionary Statement:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.		
Response	P302+P352 - IF ON SKIN: Wash with plenty of soap and water.		
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact		
	lenses, if present and easy to do. Continue rinsing.		
	P332+P313 - If skin irritation occurs: Get medical advice/attention.		
	P337+P313 - If eye irritation persists: Get medical advice/attention.		
Further information			

#### Further information

Contains: Sodium Hydroxide. Sodium Metasilicate.

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
tetrasodium ethylene diamine tetraacetate	607-428-00-2	64-02-8	200-573-9	01-2119486762-27	1 - 10%	Xn; R22 Xi; R41
Sodium N-(2-carboxyethyl)-N- (2-ethylexyl)-alaninate		90170-43-7	290-476-8	01-2119976233-35	1 - 10%	Xi; R36
Sodium Metasilicate		10213-79-3	229-912-9	01-2119449811-37	1 - 10%	C; R34 Xi; R37
C9-11 Alcohol Ethoxylate		68439-46-3			1 - 10%	Xn; R22 Xi; R41
Trisodium Nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6	01-2119519239-36	1 - 10%	Carc. Cat. 3; R40 Xn; R22 Xi; R36
Sodium Hydroxide. (Sodium hydroxide)		1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	C; R35

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
tetrasodium ethylene diamine tetraacetate	607-428-00-2	64-02-8	200-573-9	01-2119486762-27	1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
Sodium N-(2-carboxyethyl)-N- (2-ethylexyl)-alaninate		90170-43-7	290-476-8	01-2119976233-35	1 - 10%	Eye Irrit. 2: H319;
Sodium Metasilicate		10213-79-3	229-912-9	01-2119449811-37	1 - 10%	Skin Corr. 1B: H314; STOT SE 3: H335;
C9-11 Alcohol Ethoxylate		68439-46-3			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
Trisodium Nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6	01-2119519239-36	1 - 10%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;
Sodium Hydroxide. (Sodium hydroxide)		1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Met. Corr. 1: H290; Skin Corr. 1A: H314;

## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.		
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open Seek medical attention if irritation or symptoms persist.		
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.		
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist.		

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Eye contact	May Cause Burns.



Revision 0 Revision date 2015-04-20

4.2. Most important symptoms	and effects, both acute and delayed				
Skin contact	May Cause Burns.				
Ingestion	Ingestion causes burns to the respiratory tract.				
	1.3. Indication of any immediate medical attention and special treatment needed				
Inhalation	Seek medical attention.				
Eye contact	Seek medical attention.				
Skin contact	Seek medical attention.				
Ingestion	Seek medical attention.				
SECTION 5: Firefighting me	asures				
5.1. Extinguishing media					
	Use extinguishing media appropriate to	the surrounding fire conditions.			
5.2. Special hazards arising fro	m the substance or mixture				
	Burning produces irritating, toxic and o	bnoxious fumes.			
5.3. Advice for firefighters					
	Wear suitable respiratory equipment w	hen necessary.			
SECTION 6: Accidental rele	ase measures				
6.1. Personal precautions, prote	ective equipment and emergency proced	ures			
	Ensure adequate ventilation of the wor	king area. Wear suitable protective equipment.			
6.2. Environmental precautions					
	Do not allow product to enter drains. P	revent further spillage if safe.			
6.3. Methods and material for c	ontainment and cleaning up				
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for				
C.4. Deference to other coeffici	disposal. Clean spillage area thorough	ly with plenty of water.			
6.4. Reference to other sections	1	Outland and discuss of anythere are indicated in a ration 40			
		Collect and dispose of spillage as indicated in section 13.			
SECTION 7: Handling and s	<del>-</del>				
7.1. Precautions for safe handli	ng				
	Avoid contact with eyes and skin. Ensu Manual Handling considerations when	re adequate ventilation of the working area. Adopt best handling, carrying and dispensing.			
7.2. Conditions for safe storage	, including any incompatibilities				
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.				
Suitable packaging	Plastic containers.				
7.3. Specific end use(s)					
	See section 1.2.				
SECTION 8: Exposure contr	rols/personal protection				
8.1. Control parameters	City personal processing				
	WEL = Work place exposure limit.				
8.1.1. Exposure Limit Values					
Sodium Hydroxide. (Sodium hydroxide)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -			
,	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2			
Sodium Metasilicate	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 6.22			
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:			



Revision **Revision date** 2015-04-20

#### 8.2. Exposure controls







8.2.1. Appropriate engineering

controls

8.2.2. Individual protection measures

Eye / face protection

Skin protection -Handprotection Respiratory protection Ensure adequate ventilation of the working area.

Wear chemical protective clothing.

Approved safety goggles.

Chemical resistant gloves (PVC).

In case of insufficient ventilation, wear suitable respiratory equipment.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State Liquid

Colour Straw

Odour Mild

pН 12.8 - 13.8

Not applicable. Flash point

Flammability limits Not applicable.

Vapour Flammability Not applicable.

Relative density 1.07 - 1.09 (Water = 1 @ 20 °C)

Not applicable.

Not applicable.

Autoignition temperature

**Explosive** 

Oxidising Not applicable. Solubility Soluble in water

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

Avoid contact with:. Acids.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No Significant Hazard.

10.4. Conditions to avoid

There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Acids

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

## SECTION 11: Toxicological information

## 11.1.4. Toxicological Information

C9-11 Alcohol Ethoxylate	Dermal Rat LD50: 2000 mg/kg	
Sodium Metasilicate	Oral Rat LD50: 1280 mg/kg	Oral Mouse LD50: 770 mg/kg
Trisodium Nitrilotriacetate	<b>Oral Rat LD50:</b> 1450 mg/kg	



Revision 0 Revision date 2015-04-20

## SECTION 12: Ecological information

#### 12.1. Toxicity

C9-11 Alcohol Ethoxylate	Daphnia EC50/48h: 5.3 mg/l	
Sodium Metasilicate	<b>Daphnia EC50/48h:</b> 1700.0000 mg/l	
Trisodium Nitrilotriacetate	<b>Daphnia EC50/48h:</b> 780.0000 mg/l	Fish LC50/96h: 312.0000 mg/l

#### 12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

#### 12.3. Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

#### 12.4. Mobility in soil

Miscible in water.

#### 12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

#### **Further information**

**Ecotoxicity** Not regarded as dangerous for the environment.

#### **SECTION 13: Disposal considerations**

#### General information

Dispose of in compliance with all local and national regulations.

#### Disposal of packaging

Dispose of in compliance with all. local and national regulations.

## SECTION 14: Transport information

#### Hazard pictograms



#### 14.1. UN number

UN3266

## 14.2. UN proper shipping name

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium metasilicate)

#### 14.3. Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	_

#### 14.4. Packing group

Packing group

## 14.5. Environmental hazards

Environmental hazards No Marine pollutant No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Revision 0 Revision date 2015-04-20

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code				
	Not applicable.			
ADR/RID				
Hazard ID	80			
Tunnel Category	(E)			
IMDG				
EmS Code	F-A S-B			
IATA				
Packing Instruction (Cargo)	856			
Maximum quantity	60 L			
Packing Instruction	852			
(Passenger)				
Maximum quantity	5 L			

#### SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety Data Sheet prepared in accordance with REACH commission Regulation (EU) No 453/2010 (which amends Regulation (EC) No 1907/2006). The product is as classified under GHS/CLP - Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under both CHIP - Directive 67/548/EEC classification, packaging & labelling of dangerous substances & GHS/CLP - Regulations (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

#### 15.2. Chemical safety assessment

No chemical safety assesment has been carried out as not applicable as this product is a mixture.

## SECTION 16: Other information

Other	! £	4!
Outer		Iauvi

The Risk Phrases/Hazard statements listed below in this section No 16 relate to the Raw Materials
(ingredients) in the Product (as listen in section 3) and NOT the product intself. For the Risk
Phrases/Hazard Statements relating to this Product see Section 2.

# Text of risk phrases in Section 3

R22 - Harmful if swallowed.

R34 - Causes burns.

R35 - Causes severe burns.

R36 - Irritating to eyes.

R37 - Irritating to respiratory system.

R40 - Limited evidence of a carcinogenic effect.

R41 - Risk of serious damage to eyes.

# Text of Hazard Statements in Section 3

Acute Tox. 4: H302 - Harmful if swallowed.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

STOT SE 3: H335 - May cause respiratory irritation.

Carc. 2: H351 - Suspected of causing cancer .

Met. Corr. 1: H290 - May be corrosive to metals.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

#### **Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

