

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

CHERRY FRESH.

Page 1/5

 Revision
 0

 Revision date
 2015-04-10

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	CHERRY FRESH.
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC35] Washing and cleaning products (including solvent based products);
Description	DEODOURISER.
1.3. Details of the supplier of the	e safety data sheet
Company	Spectrum Industrial Limited
Address	19/24 Bedesway Bede Industrial Estate Jarrow Tyne & Wear NE32 3EG
Web	www.spectrumindustrial.co.uk
Telephone	0191 4301111
Fax	0191 4837422
Email	sales@spectrum-ind.co.uk
Email address of the	sales@spectrum-ind.co.uk
competent person	
1.4. Emergency telephone num	ber
Emergency telephone number	0191 4301111
	9.00 am - 5.00 pm Mon - Fri
SECTION 2: Hazards identif	ication
2.1. Classification of the substa	nce or mixture
Main hazards	No Significant Hazard
2.2. Label elements	
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	 P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
2.3. Other hazards	
Other hazards	This product does not contain any substances classified as PBT or vPvB.
Further information	
Contains:	Benzaldehyde,. Eugenol,. Limonene,.
SECTION 3: Composition/int	formation on ingredients



Revision 0 Revision date 2015-04-10

3.1. Substances

Chamical Nama	Index No
7/548/EEC / 1999/45/EC	

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Benzaldehyde	605-012-00-5	100-52-7	202-860-4		0 - 0.5%	Xn; R22
Eugenol		97-53-0	202-589-1		0 - 0.5%	Xi; R36-43
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	F; R11 Xi; R36 R67
C13-15 Alcohol Ethoxylate 7EO		68131-39-5			1 - 10%	Xn; R22 Xi; R41 N; R50
Limonene.		5989-27-5	227-813-5		0 - 0.5%	Xi; R38-43 N; R50/53

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Benzaldehyde	605-012-00-5	100-52-7	202-860-4		0 - 0.5%	Acute Tox. 4: H302;
Eugenol		97-53-0	202-589-1		0 - 0.5%	Skin Sens. 1: H317; Eye Irrit. 2: H319;
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
C13-15 Alcohol Ethoxylate 7EO		68131-39-5			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318; Aquatic Acute 1: H400;
Limonene.		5989-27-5	227-813-5		0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	May cause irritation to mucous membranes. Move the exposed person to fresh air.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.
4.2. Most important symptoms a	and effects, both acute and delayed
Inhalation	May cause irritation to mucous membranes.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any immediate	e medical attention and special treatment needed
Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist.
SECTION 5: Firefighting mea	asures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.



CHERRY FRESH.

Revision 0

Revision date 2015-04-10

		Revision date 2015-04-10
SECTION 6: Accidental relea	ase measures	
6.1. Personal precautions, prote	ective equipment and emergency procedures	
	Ensure adequate ventilation of the working a	irea.
6.2. Environmental precautions		
	Do not allow product to enter drains. Prevent	t further spillage if safe.
6.3. Methods and material for co	ontainment and cleaning up	
	Absorb with inert, absorbent material. Sweep disposal. Clean spillage area thoroughly with	o up. Transfer to suitable, labelled containers for plenty of water.
6.4. Reference to other sections	3	
	For personal protection see section 8. Collect	ct and dispose of spillage as indicated in section 13.
SECTION 7: Handling and st	orage	
7.1. Precautions for safe handlin		
	Avoid contact with eyes and skin. Ensure ad Manual Handling considerations when handl	equate ventilation of the working area. Adopt best ing, carrying and dispensing.
7.2. Conditions for safe storage	, including any incompatibilities	
	Keep in a cool, dry, well ventilated area. Kee containers.	ep containers tightly closed. Store in correctly labelled
7.3. Specific end use(s)		
	See section 1.2.	
Suitable packaging		
	Plastic containers.	
SECTION 8: Exposure control	ols/personal protection	
8.1. Control parameters		
	WEL = Work place exposure limit.	
8.1.1. Exposure Limit Values		
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
8.2. Exposure controls		
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working a	irea.
8.2.2. Individual protection measures	Wear protective clothing.	
Eye / face protection	In case of splashing, wear:. Approved safety	goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State	Liquid
Colour	Red
Odour	Characteristic
pH	6 - 8
Flash point	Not applicable.
Relative density	0.95 - 1.02 (Water = 1 @ 20 °C)
Solubility	Soluble in water



CHERRY FRESH.

Revision 0

Revision date 2015-04-10

SECTION 10: Stability and r	reactivity.	Revision date 2013-04-1
SECTION 10: Stability and r	eactivity	
10.1. Reactivity	· · · · · · ·	
10.2 Chamical stability	Not determined.	
10.2. Chemical stability		
	Stable under normal conditions.	
10.3. Possibility of hazardous re		
	No relevant data is available on this product.	
10.4. Conditions to avoid		
	There are no known conditions that are likely to result in a h	nazardous situation.
10.5. Incompatible materials	1	
	No relevant data is available on this product.	
10.6. Hazardous decomposition	I	
	Under normal conditions of storage and use, hazardous dee	composition products should not be
	produced.	
SECTION 11: Toxicological	information	
11.1.4. Toxicological Information	n	
C13-15 Alcohol Ethoxylate 7EO	Oral Rat LD50: 2000 mg/kg	
Isopropanol	Oral Rat LD50: 5,000 mg/kg	Dermal Rabbit LD50: 5,000 mg/kg
SECTION 12: Ecological inf	ormotion	
SECTION 12: Ecological info		
12.1. Toxicity		
C13-15 Alcohol Ethoxylate 7EO	Daphnia EC50/48h: 1.0000 mg/l	Fish LC50/96h: 10.0000 mg/l
Isopropanol	Daphnia EC50/48h: 100.0000 mg/l Algae EC50/72h: 100	Fish LC50/96h: 100.0000 mg/l
	71940 2000/7211. 100	
12.2. Persistence and degrada	bility	
	The surfactants contained in this mixture comply with the bi	odegradability criteria as laid down in
	Regulation (EC) No. 648/2004 on detergents.	
12.3. Bioaccumulative potential		
	The product does not contain any substances expected to b	be bioaccumulating.
12.4. Mobility in soil		
	Miscible in water.	
12.5. Results of PBT and vPvB	assessment	
	This product does not contain any substances classified as	PBT or vPvB.
Further information	a	
Ecotoxicity	Not regarded as dangerous for the environment.	
SECTION 13: Disposal cons	siderations	
General information		
	Dispose of in compliance with all local and national regulation	ons.
Disposal of packaging		
	Can be recycled if in compliance with. Local and national re	aulations
SECTION 14: Transport info	prmation	
Further information	1	
	The product is not classified as dangerous for carriage.	

SECTION 15: Regulatory information

CHERRY FRESH.

Revision 0 Revision date 2015-04-10

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	Safety Data Sheet prepared in accordance with REACH commission Regulation (EU) No 453/2010 (which amends Regulation (EC) No 1907/2006). The product is as classified under GHS/CLP - Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under both CHIP - Directive 67/548/EEC classification,
	packaging & labelling of dangerous substances & GHS/CLP - Regulations (EC) No 1272/2008
	classification, labelling & packaging of substances & mixtures.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information

Other information

Text of risk phrases in Section The Risk Phrases/Hazard statements listed below in this section No 16 relate to the Raw Materials (ingredients) in the Product (as listen in section 3) and NOT the product intself. For the Risk Phrases/Hazard Statements relating to this Product see Section 2. 3 R11 - Highly flammable. R22 - Harmful if swallowed. R36 - Irritating to eyes. R36 - Irritating to eyes. R36 - Irritating to skin. R41 - Risk of serious damage to eyes. R43 - May cause sensitisation by skin contact. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R50 - Very toxic to aquatic organisms. R67 - Vapours may cause drowsiness and dizziness. R67 - Vapours may cause drowsiness and dizziness. R67 - Vapours may cause drowsiness or dizziness. R50 - Very toxic to aquatic organisms. R67 - Vapours may cause drowsiness or dizziness. Film. Liq. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Cau		
Text of risk phrases in Section R11 - Highly flammable. 3 R22 - Harmful if swallowed. R36 - Irritating to eyes. R38 - Irritating to skin. R41 - Risk of serious damage to eyes. R43 - May cause sensitisation by skin contact. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R50 - Very toxic to aquatic organisms. R67 - Vapours may cause drowsiness and dizziness. Acute Tox. 4: H302 - Harmful if swallowed. Section 3 Acute Tox. 4: H302 - Harmful if swallowed. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in		(ingredients) in the Product (as listen in section 3) and NOT the product intself. For the Risk
3 R22 - Harmful if swallowed. R36 - Irritating to eyes. R38 - Irritating to skin. R41 - Risk of serious damage to eyes. R43 - May cause sensitisation by skin contact. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R50 - Very toxic to aquatic organisms. R67 - Vapours may cause drowsiness and dizziness. R67 - Vapours may cause drowsiness and dizziness. Section 3 Acute Tox. 4: H302 - Harmful if swallowed. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in	Tout of rick phrases in Section	-
First of Hazard Statements in R36 - Irritating to eyes. Rash - Ray Cause sensitisation by skin contact. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R50 - Very toxic to aquatic organisms. R67 - Vapours may cause drowsiness and dizziness. R67 - Vapours may cause drowsiness and dizziness. Acute Tox. 4: H302 - Harmful if swallowed. Section 3 Acute Tox. 4: H302 - Harmful if swallowed. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes serious eye damage. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in	•	
R38 - Irritating to skin.R41 - Risk of serious damage to eyes.R43 - May cause sensitisation by skin contact.R50 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.R50 - Very toxic to aquatic organisms.R67 - Vapours may cause drowsiness and dizziness.R67 - Vapours may cause drowsiness or dizziness.Eye Irrit. 2: H319 - Causes serious eye irritation.Flam. Liq. 2: H225 - Highly flammable liquid and vapour.STOT SE 3: H336 - May cause drowsiness or dizziness.Eye Dam. 1: H318 - Causes serious eye damage.Aquatic Acute 1: H400 - Very toxic to aquatic life.Skin Irrit. 2: H319 - Causes skin irritation.Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.Further informationThe information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in	3	
Fext of Hazard Statements in R41 - Risk of serious damage to eyes. R43 - May cause sensitisation by skin contact. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R50 - Very toxic to aquatic organisms. R67 - Vapours may cause drowsiness and dizziness. R67 - Vapours may cause drowsiness and dizziness. R67 - Vapours may cause drowsiness and dizziness. R67 - Vapours may cause drowsiness and dizziness. R67 - Vapours may cause drowsiness and dizziness. R67 - Vapours may cause drowsiness and dizziness. R67 - Vapours may cause drowsiness and dizziness. Section 3 Acute Tox. 4: H302 - Harmful if swallowed. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Acute 1: H410 - Very toxic to aquatic life with long lasting effects. Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material design		
Fext of Hazard Statements in Section 3R43 - May cause sensitisation by skin contact. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R50 - Very toxic to aquatic organisms. R67 - Vapours may cause drowsiness and dizziness.Text of Hazard Statements in Section 3Acute Tox. 4: H302 - Harmful if swallowed. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes and and and any on the set of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in		, °
Fext of Hazard Statements in Section 3R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R50 - Very toxic to aquatic organisms. R67 - Vapours may cause drowsiness and dizziness.Text of Hazard Statements in Section 3Acute Tox. 4: H302 - Harmful if swallowed. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.Further informationThe information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in		
Text of Hazard Statements in Section 3R50 - Very toxic to aquatic organisms. R67 - Vapours may cause drowsiness and dizziness.Acute Tox. 4: H302 - Harmful if swallowed. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.Further informationThe information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in		
Text of Hazard Statements in Section 3R50 - Very toxic to aquatic organisms. R67 - Vapours may cause drowsiness and dizziness.Acute Tox. 4: H302 - Harmful if swallowed. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.Further informationThe information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in		
Text of Hazard Statements in Section 3R67 - Vapours may cause drowsiness and dizziness.Acute Tox. 4: H302 - Harmful if swallowed. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.Further informationThe information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in		
Text of Hazard Statements in Section 3 Acute Tox. 4: H302 - Harmful if swallowed. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in		R50 - Very toxic to aquatic organisms.
Section 3 Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in		R67 - Vapours may cause drowsiness and dizziness.
Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in	Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.
Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in	Section 3	Skin Sens. 1: H317 - May cause an allergic skin reaction.
STOT SE 3: H336 - May cause drowsiness or dizziness. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in		Eye Irrit. 2: H319 - Causes serious eye irritation.
Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in		Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Aquatic Acute 1: H400 - Very toxic to aquatic life. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in		STOT SE 3: H336 - May cause drowsiness or dizziness.
Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in		Eye Dam. 1: H318 - Causes serious eye damage.
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in		Aquatic Acute 1: H400 - Very toxic to aquatic life.
Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in		Skin Irrit. 2: H315 - Causes skin irritation.
The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in		Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in	Further information	
storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in		The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in		
relates only to the specific material designated and may not be valid for such material used in		
combination with any other materials or in any other process.		combination with any other materials or in any other process.

