

SAFETY DATA SHEET

Compilation date:

compiled according to Regulation (EC) No. 453/2010
28/04/15

Revision [CLP]:

1*

1. Identification of the Substance/Preparation and of the Company/Undertaking

1.1. Product identifier

Product form: Mixture
Trade name : **OXY POWER Laundry Destaining Powder**
Product group : Trade product
Product code : **OX P1**

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Function or use category : Washing and cleaning products (including solvent based products).
A commercial laundry destaining powder formulated to be used as a pre-soak or as a wash booster to remove heavy soiling from the majority of everyday fabrics in automatic machines. Not suitable for wools and silks

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Company Name: **Spectrum Industrial Limited**
Bedesway
Bede Industrial Estate,
Jarrow
Tyne & Wear
NE32 3EG
Tel: 0191 4301111
Email: sales@spectrum-ind.co.uk

2. Hazards Identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Dam. 1: H318;
Acute Tox.4: H302

2.1.2 Classification according to Directive 67/548/EEC or 1999/45/EC

Xn;R22. Xi; R41

2.2 Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms (CLP)



Signal word (CLP):

Hazard Statements (CLP):

Precautionary Statements (CLP):

Danger

H318: Causes serious eye damage.

H302: Harmful if swallowed.

P102 - Keep out of reach of children

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302 + P352 – IF ON SKIN: Wash with plenty of soap and water.

P332 + P313 – If skin irritation occurs: Get medical advice/attention.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337+P313 - If eye irritation persists: Get medical advice/attention

The full texts for all R-, H- and EUH-phrases are displayed in Section 16 'Other Information'.

2.3 Other Hazards

Other hazards not contributing to the classification:

No presence of PBT and vPvB ingredients.

3. Composition/information on ingredients:

Common Name	CAS No./ EC No.	Classification According to Directive 67/548/EEC	Conc (%)
SODIUM PERCARBONATE	15630-89-4 239-707-6	Xn; R22. Xi; R41,O; R8	60 - 90%

SODIUM CARBONATE	497-19-8 207-838-8	Xi; R36.	30 - 60%
------------------	-----------------------	----------	----------

Common Name	CAS No./ EC No.	Classification According to (EC) 1272/2008 (CLP)	Conc (%)
SODIUM PERCARBONATE	15630-89-4 239-707-6	Ox Sol. 3, H272 Acute Tox. 4, H302 Eye Dam. 1, H318	60 - 90%
SODIUM CARBONATE	497-19-8 207-838-8	Eye Irrit. 2, H319	30 - 60%

The full texts for all R-, H- and EUH-phrases are displayed in Section 16 'Other Information'.

4. First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention, and discontinue use of product.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, immediately call a doctor.

First-aid measures after ingestion : IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Drink plenty of water. Immediately call a POISON CENTER/doctor

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Coughing. sneezing.

Symptoms/injuries after skin contact : Redness. Swelling. dryness. Itching.

Symptoms/injuries after eye contact : Severe pain. Redness. Swelling. Blurred vision.

Symptoms/injuries after ingestion : Oral mucosal or gastro-intestinal irritation. Nausea. Vomiting. Excessive secretion. Diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Refer to section 4.1.

5. Fire fighting measures

Extinguishing media: Product itself is not explosive or flammable. The product itself will not burn. If anything, packaging may be involved in a fire. Use CO₂, dry chemical powder, alcohol resistant foam or other media appropriate for materials actually involved in the fire. If water is used, contain run-off.

Special hazards: When heated sufficiently, product may decompose to form smoke and toxic fumes.

Special protective equipment: Fire fighters should wear approved self-contained breathing apparatus and full protective clothing.

6. Accidental release measures

Personal precautions:

Avoid contact with skin and eyes. For appropriate personal protection see section 8.

Environmental precautions:

Although this product is suitable for down the drain disposal it is advised that as much of the solid is contained and scooped up, before final dispersal of any residue with water.

Methods and material for containment and clean-up:

Prevent leakage into sewers or surface water by utilising bunding, absorbent booms, drain covers and soil or sand dikes. Contact appropriate environmental protection agencies, (Environment Agency in the UK) and local water authorities if significant contamination occurs.

For small and large spills: scoop spillage into suitable plastic containers and rework/dispose as per local legislation.

7. Handling and storage

Precautions for safe handling:

Avoid contact with neat product on skin and eyes. Wear protective clothing as per section 8.

Storage precautions:

Store in closed original container in a cool and dry area.

8. Exposure controls / personal protection

8.1. Control parameters

Sodium Carbonate (CAS 497-19-8)

DNEL/PNEC Values

DNEL/DMEL (Workers)

Long-term - local effects, inhalation 10 mg/m³

DNEL/DMEL (General population)

Acute - local effects, inhalation 10 mg/m³

SODIUM PERCARBONATE (CAS 15630-89-4)

DNEL/PNEC Values

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	5 mg/m ³	Workers	Local
DNEL	Dermal	12.8 mg/cm ²	Workers	Local
DNEL	Dermal	6.4 mg/cm ²	Consumers	Local
PNEC	Environmental: Water	35 g/l	-	-
PNEC	Environmental: STP	16 mg/l	-	-

8.2. Exposure controls

8.2.1. Appropriate engineering controls: Not applicable.

8.2.2. Personal protective equipment

Hand protection:

Wear gloves during direct contact and hand-washing.

Eye protection:

Wear eye/face protection.

Skin and body protection:

Not applicable.

Respiratory protection:

Not applicable.

8.2.3. Environmental exposure controls:

No particular measures required

9. Physical and chemical properties

Appearance: White powder

Odour: Non detectable

pH (10% aqueous solution) : ca. 11

Melting point: Not determined

Boiling point: Not determined

Flash point: Not combustible
Evaporation rate: Not determined
Flammability: Not combustible
Explosive properties: Non-Explosive
Oxidising properties: Not determined
Vapour pressure/density: Not determined
Relative density: ca. Not Determined
Water solubility: Soluble
Partition coefficient: Not determined
Auto ignition temperature: Not combustible
Decomposition temperature: Not determined
Viscosity: Not determined

10. Stability and reactivity

Stability:

Stable under normal conditions.

Conditions to avoid:

None

Materials to avoid:

Do not mix with other cleaning products unless advised to do so by a professional from the industry.

11. Toxicological information

11.1 Information on toxicological effects

Acute Oral Toxicity:

May cause burns in mucous membranes, throat, oesophagus and stomach.

Acute Inhalation Toxicity:

Dusts may irritate throat and respiratory system and cause coughing.

Acute Dermal Toxicity:

Irritating/ damaging to skin

Skin Corrosion/Irritation:

May cause chemical burns of the skin. Prolonged contact may cause tissue damage.

Serious eye damage/eye irritation:

Causes burns. Risk of corneal damage. Visual disturbances including blurred vision.

Sensitisation:

Not expected to provoke a sensitisation reaction.

Repeated Dose Toxicity:

Not data available.

Assessment of STOT single exposure: No data available

Assessment of STOT repeated exposure: No data available

Risk of Aspiration Toxicity: No data available

Sodium Carbonate (CAS 497-19-8)

LD50 oral rat	2800 mg/kg
LD50 dermal rabbit	2001 mg/kg
ATE CLP (oral)	2800 mg/kg bodyweight
ATE CLP (dermal)	2001 mg/kg bodyweight

12. Ecological information

On the basis of raw materials and comparable substances contained in the product the following ecological evaluation is obtained.

Ecotoxicity: This product is intended for wide dispersive use, is not considered harmful to aquatic organisms and is compatible with the down-the-drain disposal route. No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Persistence and degradability: No data available

Bioaccumulative potential: The product does not contain any substances expected to be bioaccumulating

Mobility in soil: Not determined.

13. Disposal considerations

Consumer products ending up down the drain after use. Observe safe handling precautions and local legislation.

The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

14. Transport information

UN No: None
Classification: Not classified as hazardous for transport.
UN proper shipping name: None
Transport hazard class: Not subject to ADR/IATA/IMDG/RID codes.
Packing group: None
Environmental hazards: None
Special precautions for user: None

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU legislation

Safety data sheet prepared in accordance with REACH Commission Regulation (EU) No 453/2010 (which amends Regulation (EC) No 1907/2006). The product is classified under GHS/CLP – Regulation (EC) No 1272/2008 classification, labelling & packaging of substances and mixtures. Ingredients are listed with classification under both CHIP – directive 67/548/EEC – classification, packaging & labelling of dangerous substances & GHS/CLP – Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures

Guidance

Workplace Exposure Limits EH40

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. Other information

Usage and handling instructions are not mentioned on this Material Safety Data Sheet. The labelling of the product is indicated in Section 2.2.

The full text of the R-, H- and EUH-phrases indicated in this safety data sheet are as follows:

R8	Contact with combustible material may cause fire.
R22	Harmful if swallowed.
R36	Irritating to eyes.
R41	Risk of serious damage to eyes.

H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H318	Causes serious eye damage
H319	Causes serious eye irritation

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.