

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

QUARTILE.

Revision 0

Revision date 2015-04-08

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	QUARTILE.
--------------	-----------

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC35] Washing and cleaning products (including solvent based products);
Description	Alkaline Liquid Hard Surface Cleaner.

1.3. Details of the supplier of the safety data sheet

Company	Spectrum Industrial Limited
Address	19/24 Bedesway Bede Industrial Estate Jarrow Tyne & Wear NE32 3EG
Web	www.spectrumindustrial.co.uk
Telephone	0191 4301111
Fax	0191 4837422
Email	sales@spectrum-ind.co.uk
Email address of the competent person	sales@spectrum-ind.co.uk

1.4. Emergency telephone number


Emergency telephone number	0191 4301111 9.00 am - 5.00 pm Mon - Fri
----------------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 67/548/EEC	Xi; R38-41 Symbols: Xi: Irritant.
Main hazards	Irritating to skin. Risk of serious damage to eyes.
2.1.2. Classification - EC 1272/2008	Skin Irrit. 2: H315; Eye Dam. 1: H318;

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Irrit. 2: H315 - Causes skin irritation. Eye Dam. 1: H318 - Causes serious eye damage.

QUARTILE.

Revision 0

Revision date 2015-04-08

2.2. Label elements

Precautionary Statement: Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician. P332+P313 - If skin irritation occurs: Get medical advice/attention.
Precautionary Statement: Storage	Store locked up.

2.3. Other hazards

Other hazards	This product does not contain any substances classified as PBT or vPvB.
----------------------	---

Further information

Supplemental label information	Contains:.
---------------------------------------	------------

SECTION 3: Composition/information on ingredients

3.1. Substances

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
C13-15 Alcohol Ethoxylate 7EO		68131-39-5			10 - 20%	Xn; R22 Xi; R41 N; R50
Sodium Hydroxide. (Sodium hydroxide)		1310-73-2	215-185-5	01-2119457892-27	1 - 5%	C; R35

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
C13-15 Alcohol Ethoxylate 7EO		68131-39-5			10 - 20%	Acute Tox. 4: H302; Eye Dam. 1: H318; Aquatic Acute 1: H400;
Sodium Hydroxide. (Sodium hydroxide)		1310-73-2	215-185-5	01-2119457892-27	1 - 5%	Met. Corr. 1: H290; Skin Corr. 1A: H314;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention.
Skin contact	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation of vapour may cause shortness of breath.
Eye contact	Causes burns.
Skin contact	Causes burns.
Ingestion	Ingestion causes burns to the respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention.
Eye contact	Seek medical attention.

QUARTILE.

Revision 0

Revision date 2015-04-08

4.3. Indication of any immediate medical attention and special treatment needed

Skin contact	Seek medical attention.
Ingestion	Seek medical attention.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Use as appropriate: Carbon dioxide (CO ₂), Dry chemical, Foam.
--	--

5.2. Special hazards arising from the substance or mixture

	Corrosive. Burning produces irritating, toxic and obnoxious fumes.
--	--

5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.
--	---

6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

6.4. Reference to other sections

	For personal protection see section 8. Collect and dispose of spillage as indicated in section 13.
--	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.
--	--

7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed.
--	--

7.3. Specific end use(s)

	See section 1.2.
--	------------------

Suitable packaging

	Plastic containers.
--	---------------------

SECTION 8: Exposure controls/personal protection


8.1. Control parameters

	WEL = Work place exposure limit.
--	----------------------------------

8.1.1. Exposure Limit Values

Sodium Hydroxide. (Sodium hydroxide)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m ³ : -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m ³ : 2

8.2. Exposure controls

	
--	---

QUARTILE.

Revision 0

Revision date 2015-04-08

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State	Liquid
Colour	Pink
Odour	Odourless
pH	12.8 - 13.8
Melting point	No data available
Flash point	Not applicable.
Flammability limits	Not applicable.
Vapour Flammability	Not applicable.
Relative density	1.02 - 1.04 (Water = 1 @ 20 °C)
Autoignition temperature	Not applicable.
Explosive	Not applicable.
Oxidising	Not applicable.
Solubility	Soluble in water

SECTION 10: Stability and reactivity

10.1. Reactivity

	Strong acids.
--	---------------

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

	Contact with strong acids will produce an exothermic reaction.
--	--

10.4. Conditions to avoid

	There are no known conditions that are likely to result in a hazardous situation.
--	---

10.5. Incompatible materials

	Acids. Aluminium. Zinc and their alloys.
--	--

10.6. Hazardous decomposition products

	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
--	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation	Causes burns.
Serious eye damage/irritation	Causes burns.

11.1.4. Toxicological Information

C13-15 Alcohol Ethoxylate 7EO	Oral Rat LD50: 2000 mg/kg
-------------------------------	---------------------------

SECTION 12: Ecological information

12.1. Toxicity

QUARTILE.

Revision 0

Revision date 2015-04-08

12.1. Toxicity

C13-15 Alcohol Ethoxylate 7EO	Daphnia EC50/48h: 1.0000 mg/l	Fish LC50/96h: 10.0000 mg/l
-------------------------------	-------------------------------	-----------------------------

12.2. Persistence and degradability

	The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.
--	---

12.3. Bioaccumulative potential

	The product does not contain any substances expected to be bioaccumulating.
--	---

12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

12.5. Results of PBT and vPvB assessment

	This product does not contain any substances classified as PBT or vPvB.
--	---

Further information

Ecotoxicity	Not regarded as dangerous for the environment.
-------------	--

SECTION 13: Disposal considerations

General information

	Dispose of in compliance with all local and national regulations.
--	---

Disposal of packaging

	After final product withdrawal, all residues must be removed from containers (drip-free, powder-free or paste-free). Can be recycled if in compliance with local and national regulations.
--	--

SECTION 14: Transport information

Hazard pictograms

	
--	---

14.1. UN number

	UN3266
--	--------

14.2. UN proper shipping name

	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide solution)
--	--

14.3. Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

14.4. Packing group

Packing group	III
---------------	-----

14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

	Not relevant.
--	---------------

ADR/RID

QUARTILE.

Revision 0

Revision date 2015-04-08

ADR/RID	
Hazard ID	80
Tunnel Category	(E)

IMDG	
EmS Code	F-A S-B

IATA	
Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction (Passenger)	852
Maximum quantity	5 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

	Safety Data Sheet prepared in accordance with REACH commission Regulation (EU) No 453/2010 (which amends Regulation (EC) No 1907/2006). The product is as classified under GHS/CLP - Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under both CHIP - Directive 67/548/EEC classification, packaging & labelling of dangerous substances & GHS/CLP - Regulations (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.
--	---

15.2. Chemical safety assessment

	No chemical safety assesment has been carried out as not applicable as this product is a mixture.
--	---

SECTION 16: Other information

Other information	
	The Risk Phrases/Hazard statements listed below in this section No 16 relate to the Raw Materials (ingredients) in the Product (as listen in section 3) and NOT the product intself. For the Risk Phrases/Hazard Statements relating to this Product see Section 2.
Text of risk phrases in Section 3	R22 - Harmful if swallowed. R35 - Causes severe burns. R41 - Risk of serious damage to eyes. R50 - Very toxic to aquatic organisms.
Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Met. Corr. 1: H290 - May be corrosive to metals. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.